

Specialized insight

Performance assured, for your peace of mind



Performance assured, for your peace of mind

We help you prevent damage before it occurs. GF Piping Systems provides different ways of assessing whether a piping system is going to be working properly in the future.

We offer two systems that deliver steadfast data about the status of your system, based on science, giving you peace of mind for your operation at all times. Ultrasonic NDT (Non-Destructive Testing) provides testing options at the point of installation, while Pipe Condition Assessment can be employed during operation to acquire real data about the state of piping systems.

More than 60 years of experience in the field of plastics as well as the technical equipment in our materials and accredited testing laboratory allow us to make a detailed assessment of the physical and chemical processes during the plastic aging process.

Testing before installation

When installing a system, the most critical parts are going to be the weldings – often seen as the weakest point of a system and highly critical to a safe and reliable operation. With Ultrasonic NDT, you can proceed with assurance thanks to scientific proof that the welds are secure.

Status update


If a system has been running for several years, the wear on its materials needs to be checked in order to ensure operation can continue. Pipe Condition Assessment helps you plan your maintenance and know if everything is going according to schedule. Thanks to innovative testing and analysis methods, we are able to perform a condition assessment to estimate the remaining lifetime.



Specialized insight Condition Analysis +GF+



Specialized Solutions



With Specialized Solutions, the global leader GF Piping Systems provides project support every step of the way to achieve construction excellence.

Condition Analysis is a critical step in the Specialized Solutions range by GF Piping Systems, applicable to commissioning and operation. GF Piping Systems provides peace of mind with scientific testing, avoiding possible damage to your system and helping plan maintenance.

GF Piping Systems supports the conception and design process of a project from the outset to ensure that a sustainable and efficient solution is achieved. Whether in the selection of the right plastic solution from our extensive portfolio, the management of complex sub-projects, or quality control based on recognized international standards - you can benefit from Specialized Solutions for all application areas and references from a wide range of industries across the entire product range.

Benefits for your business

When integrity of the piping is essential

We ensure constant operation for water,
gas and chemical applications.

Peace of mind
Samples are inspected in our
state-of-the-art testing laboratory.

Resolve threats to your assets
Receive the necessary information to
make informed decisions during the
design, operation and maintenance of
your installation.

A proven supplier and a name you can trust

We are a plastic piping application
specialist with 60+ years of experience.

3 Specialized insight Condition Analysis +GF+

Ultrasonic NDT: Fast, safe and proven

Until now, it was impossible to measure weld quality in plastic piping systems without destroying the welding. Owners face the decision to replace welds that may actually be fine or accept the risk of failure. NDT uses ultrasound scans to detect any potential defects and an advanced algorithm based on long-term data (25-year simulation) to evaluate the risk.

Fit for service

Along the journey that goes from finalizing the installation to the commissioning of a project, uncertainty about the final performance of the installation generates severe stress for contractors, due to the vast economic and reputational impact the appearance of leakages in a brand new installation might have on their organization or company.

Previously, providing an assertive and reliable quality check for a plastic piping installation was no easy task. A typical pressure test does not provide any information on the long-term performance of the installation, while destructive testing, does not add any certainty about the quality of other welds that are not tested. In our approach to total quality management, we have developed the first Ultrasonic NDT solution for plastics, with a 'pass' or 'fail' statement, regardless of material (HDPE 100, RC, PP) and type of fusion (Butt Fusion, Electro Fusion, Infrared). A solution that enables you the certainty you deserve, when closing a trench or installing a pipe in your plant.



Scan butt fusion welds with our customized ultrasonic sensors

1 in every 300 joints fail every year due to improper installation.*

€1M is spent on average, between direct and indirect costs, to repair a leakage in a gas pipeline.*

One failure compromises the whole application: on average 19 new incidents due to initial issue.*

Specialized insight Condition Analysis +GF+

Evaluation of socio-economic costs related to noise from underground infrastructures in Quebec (Polytehnique Montreal & Cirano - Research Report, 2015)

World's first unique algorithm for weld assessment

After five years of process development, and 25 years of materials research in our laboratory located in Switzerland, our engineers have been discovering and cataloging the infinitesimal changes linking indications in welds and long-term fate of the weld strength.

As a result, they were able to develop a world's first state-ofthe-art assessment weld algorithm, that identifies those indicators in the welds, and links them within seconds with a long term fate of the weld strength.

How does Ultrasonic NDT work?

Our field inspectors visit your construction site, looking for any indication in your welds, down to the millimeter, using various ultrasonic techniques (TOFD, PAUT) and patented advanced field equipment.

If existing, they measure, locate and save these indications in a field report. The report then feeds the assessment algorithm, resulting in a clear "Pass" or "Fail" statement.

When the welds are approved, you can close the trench, with complete peace of mind.

Benefits

100% Objective
Thanks to our weld
assessment algorithm.

Increase quality
Pass or fail "Fit for Service" weld
report with extended weld
warranty if passed.

Improve safety Expert assurance from

Expert assurance from 60+ years of thermoplastics experience.

Save money

Between 20-30 weld tests per day, increasing efficiency and reducing site costs.

Extend operating life
Increase of life expectancy of
ecoFIT / PROGEF piping system.

GF Piping Systems

Pipe Condition Assessment

Pipe Condition Assessment is important for the carefree operation of plastic piping and helps plan maintenance and repair work, avoid failures and minimize revenue losses. 60 years of experience and Swiss quality testing will provide you with the security that is required to proceed.

Whether it be water, gas or chemical pipelines, safety and a long service life are our priority. The Pipe Condition Assessment testing procedure at GF Piping Systems is thorough, providing reliable results with no room for uncertainty. Three sections of a pipe need to be submitted for examination, with weld or solvent joints included in the investigation.

Getting it right

When is the right time to replace a plastic pipeline? Any piping material will show signs of fatigue after decades of everyday use. If worn pipes are not replaced in time, serious damage can occur. In contrast, if pipes are replaced too early, this can be disadvantageous from an economic point of view. The experience at GF Piping Systems provides you with the right answer.

All bases covered

We offer a number of different testing packages, with the option to have further tests and dimensions available upon request. From the findings, we can deliver conclusions about the status of the piping system and give a recommendation for further operation of the system.



Test duration

4 - 6 weeks

Materials

Polyolefins (PE/PP/PB), PVC-U/C, ABS and PVDF

Techniques

- Dimension check
- OIT (Oxidation Induction Time)
- DSC test (Differential Scanning Calorimetry)
- Vicat test
- MFR test (Melt Flow Rate)
- FTIR spectroscopy
- · Internal pressure test
- · Microscopic analysis
- · Assessment of results
- · Test report
- Three sections of piping required to be sent to GF Piping Systems experts for testing purposes

Pipe diameters and media transported can affect the applicable technique options.



Benefits

1 • 2 •

Easily plan maintenance & repair works

Unnecessary maintenance works are avoided and repairs can be planned easily with optimal timing for the best possible economic efficiency.

Avoid any operation downtime

Damage or failure of a system is avoided and parts are replaced in time.

Maximum use of piping system obtained

A thorough testing method allows accurate assessment of current status, including if and when replacement is needed.

Next steps

This brochure has provided important information about the Specialized Solutions we offer. But nothing replaces a personal conversation with an expert from GF Piping Systems. It is all about your needs and how we can support you with your specific projects.

If you have not already done so, make an appointment today.

On the GF Piping Systems website you will find specialized contact persons in your area. There you will also find further information on the individual solutions, including technical data sheets and operating instructions as well as relevant certificates and approvals.

Get your appointment with an expert from GF Piping Systems to tailor a solution to your needs.

More information at: gfps.com/condition-analysis

Get in touch with us: services@georgfischer.com

Worldwide at home

Our sales companies and representatives ensure local customer support in more than 100 countries.

gfps.com/condition-analysis

Argentina / Southern South America Georg Fischer Central Plastics Sudamérica S.R.L. Buenos Aires / Argentina Phone +54 11 4512 02 90 gfcentral.ps.ar@georgfischer.com www.gfps.com/ar

George Fischer Pty Ltd Riverwood NSW 2210 Phone +61 (0) 2 9502 8000 australia.ps@georgfischer.com www.gfps.com/au

Austria

Georg Fischer Rohrleitungssysteme GmbH 3130 Herzogenburg Phone +43 (0) 2782 856 43-0 austria.ps@georgfischer.com www.gfps.com/at

Belaium / Luxembourg

Belgium/Luxembourg Georg Fischer NV/SA 1600 Sint-Pieters-Leeuw/ Belgium Phone +32 (0) 2 556 40 20 Fax +32 (0) 2 524 34 26 be.ps@georgfischer.com www.gfps.com/be

Georg Fischer Sist. de Tub. Ltda. 04571-020 São Paulo/SP Phone +55 (0) 11 5525 1311 br.ps@georafischer.com www.gfps.com/br

Canada

Georg Fischer Piping Systems Ltd Mississauga, ON L5T 2B2 Phone +1 (905) 670 8005 Fax +1 (905) 670 8513 ca.ps@georgfischer.com www.gfps.com/ca

Georg Fischer Piping Systems Ltd Shanghai 201319 Phone +86 21 3899 3899 china.ps@georgfischer.com www.gfps.com/cn

Denmark / Iceland

Georg Fischer A/S 2630 Taastrup / Denmark Phone +45 (0) 70 22 19 75 info.dk.ps@georgfischer.com www.gfps.com/dk

Finland

Finland Georg Fischer AB 01510 Vantaa Phone +358 (0) 9 586 58 25 Fax +358 (0) 9 586 58 29 info.fi.ps@georgfischer.com www.gfps.com/fi

Georg Fischer SAS 95932 Roissy Charles de Gaulle Cedex Phone +33 (0) 1 41 84 68 84 fr.ps@georgfischer.com www.gfps.com/fr

Germany Georg Fischer GmbH 73095 Albershausen Phone +49 (0) 7161 302 0 info.de.ps@georafischer.com www.gfps.com/de

India

Georg Fischer Piping Systems Pvt. Ltd 400 083 Mumbai Phone +91 22 4007 2000 Fax +91 22 4007 2020 branchoffice@georgfischer.com www.gfps.com/in

Indonesia PT Georg Fischer Indonesia Karawang 41371, Jawa Barat Phone +62 267 432 044 Fax +62 267 431 857 indonesia.ps@georgfischer.com www.gfps.com/id

Georg Fischer S.p.A. 20864 Agrate Brianza (MB) Phone +39 02 921 86 1 Fax +39 02 921 86 24 7 it.ps@georgfischer.com www.gfps.com/it

Japan

Georg Fischer Ltd 530-0003 Osaka Phone +81 (0) 6 6341 2451 ip.ps@georgfischer.com www.gfps.com/jp

Korea Georg Fischer Korea Co. Ltd Unit 2501, U-Tower 120 Heungdeok Jungang-ro (Yeongdeok-dong) Giheung-gu, Yongin-si, Gyeonggi-do Phone +82 31 8017 1450 +82 31 217 1454 kor.ps@georgfischer.com www.gfps.com/kr

George Fischer (M) Sdn. Bhd.
41200 Klang, Selangor Darul Ehsan
Phone +60 (0) 3 3122 5585
Fax +60 (0) 3 3122 5575 my.ps@georgfischer.com www.gfps.com/my

Mexico / Northern Latin America

Georg Fischer S.A. de C.V. CP 66603 Apodaca, Nuevo León / Mexico Phone +52 (81) 1340 8586 Fax +52 (81) 1522 8906 mx.ps@georgfischer.com www.gfps.com/mx

Middle East

Georg Fischer Piping Systems (Switzerland) Ltd Dubai / United Arab Emirates Phone +971 4 289 49 60 gcc.ps@georgfischer.com www.gfps.com/int

Netherlands

Georg Fischer N.V. 8161 PA Epe Phone +31 (0) 578 678 222 nl.ps@georgfischer.com www.gfps.com/nl

New Zealand

Georg Fischer Ltd 5018 Upper Hutt Phone +04 527 9813 Fax +04 527 9834 nz.ps@georgfischer.com www.gfps.com/nz

Norway Georg Fischer AS 1351 Rud Phone +47 67 18 29 00 no.ps@georgfischer.com www.gfps.com/no

Philippines

George Fischer Pte. Ltd. Philippines Representative Office 1500 San Juan City Phone +632 571 2365 Fax +632 571 2368 sgp.ps@georgfischer.com www.gfps.com/sg

Poland

Georg Fischer Sp. z o.o. 05-090 Sekocin Nowy Phone +48 (0) 22 31 31 0 50 poland.ps@georgfischer.com www.gfps.com/pl

Georg Fischer Piping Systems (Switzerland) Ltd 020257 Bucharest - Sector 2 Phone +40 (0) 21 230 53 80 ro.ps@georgfischer.com www.gfps.com/int

Georg Fischer Piping Systems (Switzerland) Ltd Moscow 125040 Phone +7 495 748 11 44 ru.ps@georgfischer.com www.gfps.com/ru

Singapore George Fischer Pte Ltd 528 872 Singapore Phone +65 6747 0611 Fax +65 6747 0577 sgp.ps@georgfischer.com ww.gfps.com/sg

Spain / Portugal

Georg Fischer S.A. 28046 Madrid / Spain Phone +34 (0) 91 781 98 90 es.ps@georgfischer.com www.gfps.com/es

Sweden

Georg Fischer AB 117 43 Stockholm Phone +46 (0) 8 506 775 00 info.se.ps@georgfischer.com www.gfps.com/se

Georg Fischer Rohrleitungssysteme (Schweiz) AG 8201 Schaffhausen Phone +41 (0) 52 631 3026 ch.ps@georgfischer.com www.gfps.com/ch

Taiwan

Georg Fischer Co. Ltd San Chung Dist., New Taipei City Phone +886 2 8512 2822 +886 2 8512 2823 www.gfps.com/tw

United Kingdom / Ireland

George Fischer Sales Limited Coventry, CV2 2ST / United Kingdom Phone +44 (0) 2476 535 535 uk.ps@georgfischer.com www.gfps.com/uk

USA / Caribbean Georg Fischer LLC 92618 Irvine, CA / USA Phone +1 714 731 8800 Fax +1 714 731 6201 us.ps@georgfischer.com www.gfps.com/us

Vietnam

George Fischer Pte Ltd Representative Office Ho Chi Minh City Phone + 84 28 3948 4000 Fax + 84 28 3948 4010 sgp.ps@georgfischer.com www.gfps.com/vn

International

Georg Fischer Piping Systems (Switzerland) Ltd 8201 Schaffhausen / Switzerland Phone +41 (0) 52 631 3003 Fax +41 (0) 52 631 2893 info.export@georgfischer.com www.gfps.com/int

The information and technical data (altogether "Data") herein are not binding, unless explicitly confirmed in writing The Data neither constitutes any expressed, implied or warranted characteristics, nor guaranteed properties or a guaranteed durability. All Data is subject to modification. The General Terms and Conditions of Sale of Georg Fischer Piping Systems apply.

