



Type 2724/2726 DryLoc pH/ORP Electrodes

pH/ORP:

- Wetted Materials: Ryton, UHMW polyethylene, FKM, glass
- Connection: Durable DryLoc® with gold plated connections
- Compatible Preamp/Sensor Electronics: 2750 and 2760
- Compatible Instruments: Use the 2760 preamplifier with the Signet 8750; Use the 2750 sensor electronics with the Signet 8900, 9900 or 9950 instruments
- Additional Features: HF and LC options available
- In-line Mounting styles: Standard 3/4 inch or ISO threaded fittings
- Submersible mounting: Available using the back of the preamplifier or sensor electronics
- Applications: Water treatment, water quality monitoring, etc.

| MFR # | Electrode Type | Style | Temperature Compensation | Process Connection |
|--------------|---------------------------|-------|--------------------------|----------------------|
| 3-2724-00 | pH Flat | | PT1000 | 3/4 in. NPT, thread |
| 3-2724-01 | pH Flat | | PT1000 | ISO 7/1-R 3/4 thread |
| 3-2724-10 | pH Flat | | 3K | 3/4 in. NPT, thread |
| 3-2724-11 | pH Flat | | 3K | ISO 7/1-R 3/4 thread |
| 3-2725-60 | ORP Flat | | | 3/4 in. NPT, thread |
| 3-2725-61 | ORP Flat | | | ISO 7/1-R 3/4 thread |
| 3-2726-00 | pH Bulb | | PT1000 | 3/4 in. NPT, thread |
| 3-2726-01 | pH Bulb | | PT1000 | ISO 7/1-R 3/4 thread |
| 3-2726-10 | pH Bulb | | 3K | 3/4 in. NPT, thread |
| 3-2726-11 | pH Bulb | | 3K | ISO 7/1-R 3/4 thread |
| 3-2726-HF-00 | pH Bulb, HF resist | | PT1000 | 3/4 in. NPT, thread |
| 3-2726-HF-01 | pH Bulb, HF resist | | PT1000 | ISO 7/1-R 3/4 thread |
| 3-2726-HF-10 | pH Bulb, HF resist | | 3K | 3/4 in. NPT, thread |
| 3-2726-HF-11 | pH Bulb, HF resist | | 3K | ISO 7/1-R 3/4 thread |
| 3-2726-LC-00 | pH Bulb, Low Conductivity | | PT1000 | 3/4 in. NPT, thread |
| 3-2726-LC-01 | pH Bulb, Low Conductivity | | PT1000 | ISO 7/1-R 3/4 thread |
| 3-2726-LC-10 | pH Bulb, Low Conductivity | | 3K | 3/4 in. NPT, thread |
| 3-2726-LC-11 | pH Bulb, Low Conductivity | | 3K | ISO 7/1-R 3/4 thread |
| 3-2724-HF-10 | pH Flat, HF resistant | | 3K | 3/4 in. NPT, thread |
| 3-2724-HF-11 | pH Flat, HF resistant | | 3K | ISO 7/1-R 3/4 thread |

| MFR # | Code |
|--------------|-------------|
| 3-2724-00 | 159 001 545 |
| 3-2724-01 | 159 001 546 |
| 3-2724-10 | 159 001 547 |
| 3-2724-11 | 159 001 548 |
| 3-2725-60 | 159 001 561 |
| 3-2725-61 | 159 001 562 |
| 3-2726-00 | 159 001 553 |
| 3-2726-01 | 159 001 554 |
| 3-2726-10 | 159 001 555 |
| 3-2726-11 | 159 001 556 |
| 3-2726-HF-00 | 159 001 549 |
| 3-2726-HF-01 | 159 001 550 |
| 3-2726-HF-10 | 159 001 551 |
| 3-2726-HF-11 | 159 001 552 |
| 3-2726-LC-00 | 159 001 557 |
| 3-2726-LC-01 | 159 001 558 |

Data sheet

valid from: 6/29/21



| MFR # | Code |
|--------------|--------------------|
| 3-2726-LC-10 | 159 001 559 |
| 3-2726-LC-11 | 159 001 560 |
| 3-2724-HF-10 | 159 001 771 |
| 3-2724-HF-11 | 159 001 772 |

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>